

B R O C H U R E



Grain Storage Ventilation



Anping Web Wire Mesh Co.,Ltd.

Perforated Metal For Grain Storage Ventilation



Introduction

Perforated metal can be used for grain storage ventilation. It is suitable for long term storage of wheat, rice, corn, soybeans etc and is the most ideal ventilation equipment of reservoir, the state reserve and large grain storage. When using perforated metal storage ventilation, it allows air evenly flow into the grain bulk and effectively complete food cooling, precipitation, chemical fumigation, atmosphere, quenched and tempered, eliminate residues and smell and so on jobs.

Perforated metal grain storage ventilation are with the features of beautiful appearance, anti-oxidation, anti-corrosion, anti-extrusion, food does not leak, the installation time-saving, convenience store, and long service life.

Materials

Generally, perforated metal grain storage ventilation adopts materials including the followings: high-quality galvanized steel, copper-plated steel, stainless steel.



Idea for	Screen Size	Features & Benefits
<ul style="list-style-type: none">• Wheat• Rice• Corn• Soybeans	<ul style="list-style-type: none">• D 2mm• D 2.5mm• D 3mm	<ul style="list-style-type: none">• Easy installation and demolition, saving time and effort.• High strength and can withstand the pressure of stepping out of food and artificial food.• Reliable connection, good integrity, anti-extrusion, food does not leak.

Technical Parameters

When ordering, please specify:

1. Shape

Round hole, slotted hole, hexagonal hole


2. Hole Size

3. Pitch


4. Thickness

5. Panel Width (PW)

6. Panel Length (PL)



60° Round Hole



Z Type Slotted Hole

Perforated Metal Sheets


Shape	Hole Size	Pitch	Open Area	Thickness	Weight
type	mm	mm	%	mm	Kgs/m ²
45° Round hole	2.0	3.5	25.7	0.5	2.92
60° Round hole	2.0	3.0	40.3	0.5	2.34
60° Round hole	2.0	3.5	29.6	0.5	2.76
60° Round hole	2.5	3.5	46.3	0.5	2.53
60° Round hole	2.5	4.0	35.4	0.5	2.26
60° Round hole	3.0	5.0	32.7	0.5	1.92
Z type Slotted Hole	2 x 20	5 x 25	31.3	0.8	4.31

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website:www.webexpandedmetal.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.