

B R O C H U R E



Stair Tread



Anping Web Wire Mesh Co.,Ltd.

Metal Mesh For Stair Tread



Introduction

Stair treads is deep-processed products combination of platform gratings, side edging plates and anti-slip angles. Mainly used for stepping on the ladder.

Steel bar grating stair treads

Stair tread is a part of platforms. According to installation method, there are generally two kinds of types including welding fixed and bolting fixed. For welding fixed, it can be directly welded to the keel without any side panel. For bolting fixed, the tread needs both side panels with holes to fix by bolts.



Diamond shape safety grating stair treads

Safety grating stair treads provide one of the most slip resistant walking-working surfaces, the diamond shaped openings and serrated teeth, creating the most rugged, anti-slip surface available, grab shoe soles tightly, providing slip-resistance in all directions.

Expanded metal mesh stair tread

With its unique structure, expanded metal become a strong, durable, light weight and slip resistant walking surface.

Idea for	Screen Size	Features & Benefits
<ul style="list-style-type: none">Commercial ConstructionCooling TowersMarine IndustryIndustrial PlatformsPedestrian BridgesShipping DocksStair & AccesswaysWaterparks & PoolsWater/Wastewater Plants	<ul style="list-style-type: none">Tread Width 160mmTread Width 190mmTread Width 215mmTread Width 250mmTread Width 280mmTread Width 310mm	<ul style="list-style-type: none">StrongDurableLight weightSlip resistant walking surface

Technical Parameters

When ordering, please specify:


1. Types

Diamond hole expanded metal, hexagonal hole expanded metal, diamond shape safety grating, pressure welded steel grating, press-locked steel bar grating


2. Hole Size

3. Panel Width (PW)


4. Panel Length (PL)




Diamond Hole Expanded



Diamond Safety Grating



Pressure Welded Grating



Press-locked Steel Grating

Steel Bar Grating Stair Treads

Nominal Tread Width	Bearing Bar Spacing Nos of Bearing Bars		
	mm	30mm	20 mm
160	5	8	10
190	6	9	12
215	7	10	14
250	8	12	16
280	9	14	18
310	10	15	20

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website:www.webexpandedmetal.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.