

B R O C H U R E




Vibrating Screen



Anping Web Wire Mesh Co.,Ltd.

Perforated Metal For Vibrating Screen



Introduction

Perforated metals used on vibrating screen decks for sizing, grading and dewatering, a full range of perforated metal screen products with special edge preparations for rectangular machines, and circular separators, and all related accessories.

How is works?

Vibration screen by the vibrator with eccentric nature makes vibration sieve. The material on the sieve under vibration action

to achieve good loose and layered; The vibration screen counterweight mass size can be adjusted, adjustable vibration screen amplitude according to production requirements; Vibrating screens separate material to individual particle sizes or remove solids from liquids.



Products

Round hole perforated metal sheets
 Square hole perforated metal sheets
 Slotted hole perforated metal sheets

Idea for	Screen Size	Features & Benefits
<ul style="list-style-type: none"> • Crushed Stone Quarries • Clay, Asbestos & Gypsum • Sand & Gravel Plants • Coal Preparation Plants • Slag Plants • Phosphate Rock • Iron Ore Mines • Copper Mines 	<ul style="list-style-type: none"> • D 15mm • D 20mm • D 25mm 	<ul style="list-style-type: none"> • Various shapes and types • Strong corrosion resistance, easy to clean • Wear resistance, anti-oxidation • High tensile strength and tolerance capacity. • Holes and rows are evenly placed in accurate position • Long service life

Technical Parameters

When ordering, please specify:

1. Shape

Round hole, slotted hole


2. Hole Size

3. Pitch


4. Thickness

5. Panel Width (PW)


6. Panel Length (PL)




60° Round Hole



Z Type Square Hole



Z Type Slotted Hole



Hexagonal Hole

Perforated Metal Sheets


Shape	Hole Size	Pitch	Open Area	Thickness	Weight
type	mm	mm	%	mm	Kgs/m ²
60° Round hole	10.0	14.0	46.3	1.0	4.22
60° Round hole	12.0	18.0	54.9	2.0	7.09
60° Round hole	16.0	22.0	48.0	2.0	8.17
60° Round hole	20.0	28.0	46.3	3.0	12.65
60° Round hole	25.0	34.0	49.0	3.0	12.00
Z type square hole	40.0	50.0	64.0	4.0	11.30
Z type Slotted Hole	6 x 25	11 x 32	40.1	2.0	9.35

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website:www.webexpandedmetal.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.